ANALYTICA CHIMICA ACTA, VOL. 285 (1994)

AUTHOR INDEX

Abdel-Kader, M.H., see Al-Kindy, S.M.Z. 329
Adams, F., see Ma, R. 33
Adeloju, S.B.
—, Dhindsa, H.S. and Tandon, R.K.
Evaluation of some wet decomposition methods for mercury determination in biological and environmental materials by cold vapour atomic absorption spectroscopy 359
Ahmad, M.N., see Saad, B. 271
Al-Kindy, S.M.Z.
—, El-Sherbini, S.A. and Abdel-Kader, M.H.
UV–visible absorption and fluorescence characteristics of the luminescent label coumarin-6-sulphonyl chloride in homogeneous and micellar solutions 329
Amirova, G.Zh., see Nesterenko, P.N. 161
Ando, M., see Toyo'oka, T. 343
Andrews, J.M.
— and Lieberman, S.H.
Neural network approach to qualitative identification of fuels and oils from laser induced fluorescence spectra 237
Ariño, C., see Esteban, M. 193, 377
Atanasov, S.K.
—, Stoyanova, G.G., Bratinova, S.P. and Popova, S.P.
Inductively coupled plasma atomic emission spectrometric determination of trace amounts of metals in palladium compounds 57

Bergamin Filho, H., see Gomes Neto, J.A. 293
Bergveld, P., see Kolev, S.D. 247
Bobbitt, D.R., see Jackson, W.A. 309
Bol'shova, T.A., see Nesterenko, P.N. 161
Branica, M., see Raspor, B. 103
Bratinova, S.P., see Atanasov, S.K. 57

Cepas, J.
—, Silva, M. and Pérez-Bendito, D.
Potential of the continuous addition of reagent technique for chemiluminescent reaction-rate determinations 301
Chang, C.-Y.
—, Ju, C.-F. and Huang, H.-J.
Correction of the induced charging current in staircase voltammetry 73
Chang, Q., see Mills, A. 113
Chen, Q.
—, Dahlgaard, H. and Nielsen, S.P.
Determination of ^{99}Tc in sea water at ultra low levels 177
Cheng, H.N.
— and Kasehagen, L.J.
Integrated approach for ^{13}C nuclear magnetic resonance shift prediction, spectral simulation and library search 223
Chi, Q.
— and Dong, S.
Electrocatalytic oxidation of reduced nicotinamide coenzymes at Methylene Green-modified electrodes and fabrication of amperometric alcohol biosensors 125
Costa Lima, J.L.F., see Gomes Neto, J.A. 293
Cuesta Sánchez, F.
—, Khots, M.S., Massart, D.L. and De Beer, J.O.
Algorithm for the assessment of peak purity in liquid chromatography with photodiode-array detection 181
Cullen, W.R., see Le, X.-C. 277

Dagorn, M.
— and Delmas, J.M.
Methods for assay of trimethoprim and sulphadiazine in broiler tissues using liquid chromatography 353
Dahlgaard, H., see Chen, Q. 177
De Beer, J.O., see Cuesta Sánchez, F. 181
Delmas, J.M., see Dagorn, M. 353
Dhindsa, H.S., see Adeloju, S.B. 359
Dong, S., see Chi, Q. 125

Ebdon, L., see Ford, M.J. 23
El-Sherbini, S.A., see Al-Kindy, S.M.Z. 329
Esteban, M.
—, Ariño, C., Ruisánchez, I., Larrechi, M.S. and Rius, F.X.
Expert system for the voltammetric determination of trace metals. Part IV. Methods for speciation of chromium and arsenic 193
—, Ariño, C., Ruisánchez, I., Larrechi, M.S. and Rius, F.X.
Expert system for the voltammetric determination of trace metals. Part V. Methods for determining total iron, manganese(II), aluminium and titanium 377

Facchin, I.
—, Martins, J.W., Zamora, P.G.P. and Pasquini, C.
Single-phase liquid–liquid extraction in monosegmented continuous-flow systems 287
Ford, M.J.
—, Ebdon, L., Hutton, R.C. and Hill, S.J.
Simplex optimization of the plasma parameters and ion optics of an inductively coupled mass spectrometer with pure argon and doped argon plasmas, using a multi-element figure of merit 23
Fujimoto, M., see Nagaoka, T. 135

Gamborg, G.
— and Hansen, E.H.
Flow-injection bioluminescent determination of ATP based on the use of the luciferin–luciferase system 321
Gomes Neto, J.A.
—, Nogueira, A.R.A., Bergamin Filho, H., Zagatto, E.A.G., Costa Lima, J.L.F. and Montenegro, M.C.B.S.M.
Multi-site detection in flow analysis. Part 3. Periodate tubular electrode with low inner volume as a relocatable detector 293
González, A.
—, Ruiz, M.A., Yáñez-Sedeño, P. and Pingarrón, J.M.
Voltammetric determination of *tert*-butylhydroxyanisole in micellar and emulsified media 63
Gooijer, C., see Niederländer, H.A.G. 143
Grasserbauer, M., see Hartmann, P. 1

Hanioka, N., see Toyo'oka, T. 343
Hansen, E.H., see Gamborg, G. 321
Haraguchi, H., see Hu, W. 335
Hartmann, P.
—, Haswell, S.J. and Grasserbauer, M.
Monitoring of reducing sugars by flow-injection analysis using *p*-hydroxybenzoic acid hydrazide 1
Hasebe, Y., see Uchiyama, S. 89
Haswell, S.J., see Hartmann, P. 1
Hill, S.J., see Ford, M.J. 23
Hu, W.
— and Haraguchi, H.
Simultaneous determination of organic and inorganic ultraviolet-absorbing compounds in human saliva by electrostatic ion chromatography 335
Huang, H.-J., see Chang, C.-Y. 73
Hussin, A.H., see Saad, B. 271
Hutton, R.C., see Ford, M.J. 23

Ignjatovic, S.
— and Majkic-Singh, N.
Study of the kinetic characteristics of D-amino acid oxidase using 2,2′-azinodi(3-ethylbenzothiazoline-6-sulphonic acid) as oxygen acceptor 369
Inui, S.-y., see Ohta, K. 53

Jab, M.S., see Saad, B. 271
Jackson, W.A.
— and Bobbitt, D.R.
Chemiluminescent detection of amino acids using in situ generated $Ru(bpy)_3^{3+}$ 309
Jinno, H., see Toyo'oka, T. 343
Ju, C.-F., see Chang, C.-Y. 73

Karlíček, R.
— and Solich, P.
Flow-injection spectrophotometric determination of tetracycline antibiotics 9
Kasehagen, L.J., see Cheng, H.N. 223
Katayama, M., see Nagaoka, T. 135
Kauppinen, M.
— and Smolander, K.
Determination of rhodium in organic solutions by flame atomic absorption spectrometry, with methyl isobutyl ketone and ethanol as solvents 45
Kesner, J.S.
—, Knecht, E.A. and Krieg, Jr., E.F.
Time-resolved immunofluorometric assays for urinary luteinizing hormone and follicle stimulating hormone 13
Khots, M.S., see Cuesta Sánchez, F. 181
Knecht, E.A., see Kesner, J.S. 13
Kolev, S.D.
—, Van der Linden, W.E., Olthuis, W. and Bergveld, P.
Mathematical modelling and optimisation of a coulometric sensor–actuator system based on three-dimensional diffusion 247
Krieg, Jr., E.F., see Kesner, J.S. 13

Larrechi, M.S., see Esteban, M. 193, 377
Le, X.-C.
—, Cullen, W.R. and Reimer, K.J.
Effect of cysteine on the speciation of arsenic by using hydride generation atomic absorption spectrometry 277
Lee, J.E.
— and Saavedra, S.S.
Evanescent sensing in doped sol-gel glass films 265
Lieberman, S.H., see Andrews, J.M. 237
Liu, Y.-M., see Toyo'oka, T. 343

Ma, R.
—, Van Mol, W. and Adams, F.
Determination of cadmium, copper and lead in environmental samples. An evaluation of flow injection on-line sorbent extraction for flame atomic absorption spectrometry 33
Maeda, S., see Uchiyama, S. 89
Majkic-Singh, N., see Ignjatovic, S. 369
Martins, J.W., see Facchin, I. 287
Massart, D.L., see Cuesta Sánchez, F. 181
Mills, A.
— and Chang, Q.
Tuning colourimetric and fluorimetric gas sensors for carbon dioxide 113
Mishra, R.K., see Nashine, N. 365
Mizuno, T., see Ohta, K. 53
Montenegro, M.C.B.S.M., see Gomes Neto, J.A. 293

Nagaoka, T.
—, Katayama, M., Fujimoto, M., Nakao, H., Ogura, K. and Okada, T.
Electrochemically pretreated glassy carbon as a chromatographic sensor for cationic and redox species 135
Nakao, H., see Nagaoka, T. 135
Nashine, N.
— and Mishra, R.K.
Selective extractive spectrophotometric determination of germanium with *N*-hydroxy-*N*,*N*′-diphenylbenzamidine and iodide 365

Nesterenko, P.N.
—, Amirova, G.Zh. and Bol'shova, T.A.
Separation of metal ions by reversed-phase liquid chromatography using on-column complexation with 2-pyridinecarboxylic acid 161
Niederländer, H.A.G.
—, Gooijer, C. and Velthorst, N.H.
Chemiluminescence detection in liquid chromatography based on photo-oxygenation involving reactive oxygen intermediates 143
Nielsen, S.P., see Chen, Q. 177
Nogueira, A.R.A., see Gomes Neto, J.A. 293

Ogura, K., see Nagaoka, T. 135
Ohta, K.
—, Inui, S.-y., Yokoyama, M. and Mizuno, T.
Determination of zinc in aluminium metal by sequential metal vapour elution analysis 53
Okada, T., see Nagaoka, T. 135
Olthuis, W., see Kolev, S.D. 247

Pasquini, C., see Facchin, I. 287
Pérez-Bendito, D., see Cepas, J. 301
Pingarrón, J.M., see González, A. 63
Pižeta, I.
Deconvolution of non-resolved voltammetric signals 95
Pižeta, I., see Raspor, B. 103
Popova, S.P., see Atanasov, S.K. 57

Raspor, B.
—, Pižeta, I. and Branica, M.
Comparative quantitative analysis of overlapping voltammetric signals 103
Reimer, K.J., see Le, X.-C. 277
Rius, F.X., see Esteban, M. 193, 377
Rosés, M.
Ionic equilibria in non-aqueous solvents. Part 3. Effect of homoconjugation 391
Ruisánchez, I., see Esteban, M. 193, 377
Ruiz, M.A., see González, A. 63

Saad, B.
—, Tahir, M., Ahmad, M.N., Saleh, M.I., Jab, M.S. and Hussin, A.H.
Paraquat sensors based on cyclotetrasiloxanes 271
Saavedra, S.S., see Lee, J.E. 265
Saleh, M.I., see Saad, B. 271
Scheller, U.
—, Siedenberg, D. and Schügerl, K.
Ion chromatography for monitoring biotechnological processes. Part I. System development for analysis of industrial cultivation media of microorganisms 169
Schügerl, K., see Scheller, U. 169
Scott, D.R.
Empirical pattern recognition/expert system for molecular weight estimation of low resolution mass spectra 209
Siedenberg, D., see Scheller, U. 169
Silva, M., see Cepas, J. 301
Smolander, K., see Kauppinen, M. 45
Solich, P., see Karlíček, R. 9
Stoyanova, G.G., see Atanasov, S.K. 57
Suzuki, S., see Uchiyama, S. 89

Tahir, M., see Saad, B. 271
Tandon, R.K., see Adeloju, S.B. 359
Toyo'oka, T.
—, Liu, Y.-M., Hanioka, N., Jinno, H. and Ando, M.
Determination of alcohols and amines, labelled with 4-(*N*,*N*-dimethylaminosulfonyl)-7-(2-chloroformylpyrrolidin-1-yl)-2,1,3-benzoxadiazole, by liquid chromatography with conventional and laser-induced fluorescence detection 343

Uchiyama, S.
—, Maeda, S., Hasebe, Y. and Suzuki, S.
Self-driven coulometry without an external electric source 89

Van der Linden, W.E., see Kolev, S.D. 247
Van Mol, W., see Ma, R. 33
Velthorst, N.H., see Niederländer, H.A.G. 143

Yáñez-Sedeño, P., see González, A. 63
Yokoyama, M., see Ohta, K. 53
Yu, R.-Q., see Zhang, Z.-R. 81

Zagatto, E.A.G., see Gomes Neto, J.A. 293
Zamora, P.G.P., see Facchin, I. 287
Zhang, Z.-R.
— and Yu, R.-Q.
Primary amine drug-sensitive poly(vinyl chloride) membrane electrodes based on synthetic macrocyclic polyether derivatives of *o*-phenanthroline 81